

Yousef Mohammad, MD, MS

Mohammad YM, Xavier AR, Christoforidis GA, Bourekas EC, Slivka AP. Qureshi Grading Scheme for Angiographic Occlusions Strongly Correlates with the Initial Severity and in-hospital Outcome of Acute Ischemic Stroke. *J Neuroimaging*. 2004 Jul; 14(3):235-41.

Mohammad YM, Christoforidis GA, Bourekas EC, Slivka AP. Qureshi Grading Scheme Predicts Subsequent Volume of Brain Infarction Following Intra-arterial Thrombolysis in Patients with Acute Anterior Circulation Ischemic stroke. *J Neuroimaging*. 2008 Jul; 18(3):262-7.

Mohammad YM, Divani AA, Kirmani JF, Lane PH, Qureshi AI. Acute Treatment for ischemic stroke in 2004. *Emerg Radiol*. 2004 Dec; 11(2):83-6.

Mohammaad YM, Divani AA, Jradi HA, Hoonjan Amardeep, Kirmani JF, Qureshi AI. Primary stroke center: basic components and recommendations *South Med J*. 2006 Jul; 99(7):749-52.

Mohammad YM, Klinger S, Divani AA, Kirmani JF, Qureshi AI. Types and Etiology of Stroke. *Endovascular Today*. 2004: 31-35.

Mohammad YM. Quantitation of Regional Cerebral Blood Flow: The Next Chapter in Digital Subtraction Angiography. An editorial *J Neuroimaging*. 2006 Apr; 16(2): 179-80.

Mohammad YM. Low Use of t-PA for Acute Ischemic Stroke Nationwide: A Wake-up Call. Comment on Qureshi AI et al. Thrombolysis for ischemic stroke in the United States: Data from National Hospital Discharge Survey 1999-2001. *Neurosurgery* 2005 Oct; 57:647-54. *Journal Watch Neurology*, March 2006.

Mohammad YM. Mode of arrival in patients with stroke to the emergency room In the United States. *Journal of Vascular and Interventional Neurology*. 2008 Jul; 1(3): 83-86.

Qureshi AI, **Mohammad YM**, Yahia AM, Luft AR, Sharma M, Tamargo RJ, Frankel MR. Ischemic Events Associated with Unruptured Intracranial aneurysms: Multicenter Clinical Study and Review of the Literature. *Neurosurgery*. 2000 Feb; 46(2): 282-9; discussion 289-90. Review.

Vincent AM, **Mohammad YM**, Ahmad I, Greenberg, Maiese K. Metabotropic Glutamate Receptors Prevent Nitric Oxide Induced Programmed Cell Death. *J Neurosci Res*. 1997 Nov 15; 50(4): 549-64.

- Qureshi AI, Choudry MA, Akbar MS, **Mohammad YM**, Chua CH, Yahia MA, Ulatowski JA, Krendel DA, Leshner RT. Plasma exchange versus intravenous immunoglobulin treatment in myasthenic crisis. *Neurology*. 1999 Feb;52(3): 629-32.
- Qureshi AI, **Mohammad YM**, Suri MFK, Braimah J, Janardhan V, Guterman LR, Hopkins NL, Frankel MR. Cocaine Use and Hypertension are Major Risk Factors for Intracerebral Hemorrhage in Young African Americans. *Ethn Dis*. 2001 Spring-Summer; 11(2): 311-9.
- Benesch CG, Chimowitz MI, **for the WASID Investigators**. Best Treatment for Intracranial Arterial Stenosis? 50 years of uncertainty. *Neurology*. 2000 Aug 22;55(4): 465-6,
*See <http://www.sph.emory.edu/WASID> for a list of WASID investigators.
- Qureshi AI, Suarez JI, Yahia AM, **MohammadYM**, Uzen G, Suri MFK, Zaidat OO, Ayata C, Ali Z, Weityk R. Timing of Neurological Deterioration in Massive Middle Cerebral Artery Infarction. A Multi-Center review. *Crit Care Med*. 2003 Jan; 31(1): 272-7.
- Hanel RA, Xavier AR, **Mohammad YM**, Kirmani JF, Yahia AM, Qureshi AI. Outcome Following Intracerebral Hemorrhage and Subarachnoid Hemorrhage. *Neurol Res*. 2002;24 Suppl 1: S58-62. Review.
- Qureshi AI, Suri MK, Ziai W, Yahia AM, **Mohammad,YM**, Sen S, Agarwal P, Zaidat OO, Suarez JI, Wityk RJ. Stroke Free Survival and its Determinants in Patients with Symptomatic VertebroBasilar Stenosis: a Multicenter Study. *Neurosurgery*. 2003 May;52(5): 1033-9; discussion 1039-40.
- Qureshi AI, Suri MFK, **Mohammad, YM**, Guterman LR, Hopkins LN. Isolated And Borderline Isolated Systolic Hypertension Relative to Long-Term Risk and Type of Stroke: A 20-Year Follow-up of the National Health and Nutrition Survey. *Stroke*. 2002 Dec;33(12): 2781-8.
- The Warfarin Aspirin Symptomatic Intracranial Disease (WASID) **Trial Investigators**. Design, Progress and Challenges of a Double Blind Trial of Warfarin versus Aspirin for Symptomatic Intracranial Arterial Stenosis . *Neuroepidem*. 2003;22: 106-17.
- Chritsoforidis G, **Mohammad YM**, Kehagias D, Avutu B, Slivka AP. Angiographic Assessment of Pial Collaterals as a Prognostic Indicator Following Intra-Arterial Thrombolysis for Acute Ischemic Stroke. *Am J Neuroradiol*. 2005 Aug;26(7): 1789-97.

Qureshi AI, **Mohammad YM**, Yahia AM, Suarez JI, Siddiqui AM, Kirmani JF, Suri MFK, Kolb J, Zaidat OO, Xavier AR. A Prospective Multicenter Study to Evaluate the Feasibility and Safety of Aggressive Antihypertensive Treatment in Patients with Acute Intracerebral Hemorrhage. *J Intensive Care Med.* 2005 Jan-Feb; 20(1): 34-42.

Gorelick PB, Richardson D, Kelly M, Ruland S, Hung E, Harris Y, Kittner S, Leurgans S, **for the African American Antiplatelet Stroke Prevention Study (AAASPS) Investigators.** Aspirin and Ticlopidine for Prevention of Recurrent Stroke in Black Patients: A Randomized Trial. *JAMA.* 2003; 289: 2947-57.

Zaidat OO, Slivka AP, **Mohammad YM**, Graffagnino C, Smith TP, Enterline DS, Christoforidis GA, Alexander MJ, Landis D, Suarez JI. Intra-arterial Thrombolytic Therapy in Peri-Coronary Angiography Ischemic Stroke. *Stroke.* 2005 May;36(5): 1089-90.

Comparison of Warfarin and Aspirin for Symptomatic Intracranial Stenosis. Marc I. Chimowitz M.B., Ch.B., Michael J. Lynn, M.S., Harriet-Smith, RN., Barney J. Stern, M.D., Vicki S. Hertzberg, Ph.D., Michael R. Frankel, M.D., Steven R. Levine., Seemant Chaturvedi, M.D., Scott E. Kasner. M.D., Curtis G. Benesh, M.D., Cathy A. Sila, M.D., Tudor G. Jovin, M.D., Jose G. Romano, M.D., **for the Warfarin-Aspirin Symptomatic Intracranial Disease Trial Investigators** *N Engl J Med.* 2005 Mar 31;352(13): 1305-16.

Qureshi AI, Choudhry MA, **Mohammad YM**, Chua HC, Yahia AM, Ulatowski JA, Krendel DA, Leshner RT. Respiratory Failure as a First Presentation of Myasthenia Gravis. *Med Sci Monit.* 2004 Dec; 10(12): CR684-689.

Chen DT, Worrall BB, Brown Rd, Brott TG, Kissela BM, Olson TS, Rich SS, Meschia JF, **for the SWISS Investigators.** The Impact of Privacy Protections on Recruitment in a Multicenter Stroke Genetics Study. *Neurology.* 2005; 64: 721-24.

Qureshi AI, Suri MFK, Kirmani JF, Divani AA. **Mohammad YM.** Is Pre-hypertension a Risk Factor for Cardiovascular Diseases? *Stroke.* 2005 Sep;36(9): 1859-6..The Manuscript was selected by the American Heart Association to be among the 10 Best Research Advances for 2005.

Bourekas EC, Slivka AP, Shah R, **Mohammad YM**, Slone W, Kehagias DT, Surez J, Sunshine J, Zaidat OO, Tarr R, Landis DM, Suri MFK, Adnan AI. Intra-arterial Thrombolysis within Three Hours of Stroke Onset in Middle Cerebral Artery Strokes. *Neurocrit Care.* 2009 Feb 19. [Epub ahead of print].

Christoforidis GA, **Mohammad YM**, Avutu B, Tejada, Slivka AP. Arteriographic Demonstration of Slow Antegrade Opacification Distal to a Cerebrovascular Thromboembolic Occlusion Site as a Favorable Indicator for Intraarterial Thrombolysis. *Am J Neuroradiol*. 2006 Aug; 27(7): 1528-31.

Kasner SE, Chimowitz MI, Lynn M, et al. **for the WASID Investigators**. Predictors of Ischemic Stroke in the Territory of a Symptomatic Intracranial Stenosis. *Circulation*. 2006 Jan 31; 113(4): 555-63.

Ovbiagele B, Saver JL, Lynn M, Chimowitz M, **for the WASID Study Group**. Impact of Metabolic Syndrome on Prognosis of Symptomatic Intracranial Atherosclerosis. *Neurology*. 2006 May 9; 66(9): 1344-9.

Sawaki L, Butler AJ, Leng X, Wassenaar PA, **Mohammad YM**, Blanton S, Sathian K, Nichols-Larsen DS, Wolf SL, Good DC, Wittenberg GF. Constraint-induced Movement Therapy Results in Increased Motor Map Area in Subjects 3-9 Months after Stroke. *Neurorehabil Neural Repair*. 2008 Sep-Oct; 22(5):505-13.

Qureshi AI, Harris-Lane P, Kirmani JF, Janjua N, Divani AA, **Mohammad YM**, Suarez JI, Montgomery MO. Intra-arterial reteplase and intravenous abciximab in patients with acute ischemic stroke. An open-label, dose ranging, phase I study. *Neurosurgery*. 2006 Oct; 59(4): 789-96; discussion 796-7.

Christoforidis GA, Slivka A, **Mohammad YM**, Karakasis C, Avutu B, Yang M,. Size matters: Hemorrhage Volume as an Objective Measure to define Significant Intracranial Hemorrhage Associated with Thrombolysis. *Stroke*. 2007 Jun; 38(6): 1799-804.

Qureshi AI et al. Antihypertensive Treatment in Acute Cerebral Hemorrhage: Rationale and Design. **For the ATACH Study Group**. *Neurocrit Care*. 2007; 6(1): 56-66.

Christoforidis G, Slivka A, Karakasis C, Avutu B, **MohammadYM**, Yang M,. Hemorrhage Rates and Outcomes Associated with the Use of 100mg Intra-arterial t-PA for Thrombolysis in Acute Stroke. Submitted to *Stroke*.

Kasner SE, Lunn MJ, Chimowitz MI, Frankel MR, Howlett-Smith H, Hertzberg VS, Chaturvedi S, Levine SR, Stern BJ, Benesch G, Jovin TG, Sila CA, Romano JG, **for the Warfarin Aspirin Symptomatic Intracranial Disease (WASID) Trial Investigators**. Warfarin vs Aspirin for Symptomatic Intracranial Stenosis: Subgroup Analysis from WASID. *Neurology*. 2006 Oct 10; 67(7): 1275-8.

Shahbazi M, Penman A, **Mohammad YM**, Mohamed ML. Stroke Awareness in Two Rural Counties in Mississippi.

Shiraz E Medical Journal. 2008. 9; 2.

Christoforidis GA, Karakasis C, **Mohammad YM**, Caragine LP, Yang M, Slivka AP. Predictors of Hemorrhage Following Intra-arterial Thrombolysis for Acute Ischemic Stroke: The Role of Pial Collateral Formation.

Am J Neuroradiol. 2009 Jan; 30(1): 165-70.

Sawaki L, Butler AJ, Leng X, Wassenaar PA, **Mohammad YM**, Blanton S, Sathian K, Nichols-Larsen DS, Wolf SL, Good DC, Wittenberg GF. Motor Map Plasticity in Subacute and Chronic Patients Receiving Constant Induced Therapy after Stroke. Submitted to *Neurorehabilitation and Neural Repair*.

Antihypertensive Treatment of Acute Cerebral Hemorrhage (ATACH). **The antihypertensive Treatment of Acute Cerebral Hemorrhage Investigators**. In-Press.

Karve SJ, Balkrishnan R, **Mohammad YM**, Deborah A. Levine. Racial Disparities in ED Waiting Times among US Ischemic Stroke Patients. Submitted to *Stroke*.

Shah QA, Zeehan Memon M, Vazquez G, Suri MF, Hussein HM, **Mohammad YM**, Qureshi AI. Clinical and Radiological Outcomes of Acute Ischemic Stroke Patients without Angiographic Occlusion on Digital Subtraction Angiogram. A Pooled Analysis of Case Series. *Neuroradiology*. 2008 Nov; 50(11):963-8.

Hussein HH, Georgiadis AL, Vazquez G, Miley JT, Memon MZ, **Mohammad YM**, Christoforidis GA, Qureshi AI. Occurrence and Predictors of Futile Recanalization Following Endovascular Treatment among Patients with Acute Ischemic Stroke: A Multicenter Study. Submitted to *Stroke*.

Shyam Prabhakaran, MD, MS; Rajesh Gupta, MBBS; Bichun Ouyang, PhD; Sayona John, MD; Richard E. Temes, MD, MS; **Yousef M. Mohammad, MD**; Vivien H. Lee, MD; Thomas P. Bleck, MD. Subclinical brain infarcts following spontaneous intracerebral hemorrhage. Submitted to *Neurology*.